



FIRE SCREENS

Fire resistant doors and screens

Part of **SIG**



OCULA™ FIRE SCREENS

Meeting even the most stringent standards

Ocula™ are committed to providing an offer explicitly tailored to your desired project.

We offer a wide range of proprietary steel fire screen systems, with configurations tested to achieve fire resistance ratings from 30 minutes integrity only, up to 120 minutes integrity and insulation. These systems have been assessed through third-party fire testing and are available with a Powder Coated or Stainless Steel finish, depending on the required specification.

Ocula™ provides a complete UK-wide supply and installation service. Our installation teams have experience in fitting these systems, and we are actively working with system providers to establish structured training pathways to support installer competence.

Ocula Fire Screens are bespoke manufactured in the UK.



We operate a policy of continual development. The company reserves the right to change specification and design at any time without notice.



AREAS OF USE...

- Common areas
 - Staircases
 - Escape routes
 - Lobbies
-
- Fire rating of up to 120 mins
 - Single or double doors
 - Framed, butt jointed and curtain wall applications
 - Screens up to 3m high
 - Door leaf up to 1400 wide (subject to m² allowances)
 - Door leaf up to 3000 high (subject to m² allowances)
 - Integral blinds available
 - All subject to systems certification
 - A range of acoustic solutions is available
 - A full range of compliant ironmongery is available



Acoustics

Acoustic performance is often an important aspect of fire screen specification. Ocula™ offers a range of acoustic solutions, including options with double glazing, to support project-specific sound reduction requirements.

System capabilities vary depending on configuration, and we can provide guidance on appropriate acoustic solutions based on the needs of your project.

Finishing touches

Steel profiles are available in Polyester Powder Coated finish or Stainless Steel. Working within test data parameters, doors may be latched or unlatched with Levers or Pull Handles and accommodate electronic or magnetic access control.

Fire Safety

E = Integrity

Integrity only Doors and Screens provide fire containment, limiting the passage of fire, spread of flame, smoke & toxic gases, but not heat.

- 30 Minutes Integrity = E30 (30/0)
- 60 Minutes Integrity = E60 (60/0)
- 90 Minutes Integrity = E90 (90/0)
- 120 Minutes Integrity = E120 (120/0)

EI = Integrity & Insulation

Integrity and insulation Doors and Screens provide fire containment, preventing the passage of fire, spread of flame, smoke & toxic gases, also limiting transfer of heat to the unexposed side allowing for escape from the building.

- 30 Minutes Integrity & Insulation = EI30 (30/30)
- 60 Minutes Integrity & Insulation = EI60 (60/60)
- 90 Minutes Integrity & Insulation = EI90 (90/90)
- 120 Minutes Integrity & Insulation = EI120 (120/120)

Firescreens are an essential part of Building Safety. Building regulations specify where they should be used and the performance required.



HERE TO HELP

Fully supported every step of the way



From design to installation to those finishing touches, you'll have an expert team on hand to help.

Ocula™ Partitions are supplied through SIG Insulation & Dry Lining, for further information on any of our systems, please contact your local branch today...

**SIG Insulation & Dry Lining
Bedford**

Telford Way, MK42 0PQ
T: 01234 761 112

**SIG Insulation & Dry Lining
Bristol**

Unit 200 North Bristol Park, BS34 7QH
T: 0117 931 3432

**SIG Insulation & Dry Lining
Cardiff**

H & J Southpoint Ind Est, CF10 4SP
T: 029 2047 4787

**SIG Insulation & Dry Lining
Croydon**

Unit 1 Beddington Lane Ind Est, CR0 4TS
T: 020 8684 7775

**SIG Insulation & Dry Lining
Edmonton**

Unit 14A Banksia Road, N18 3BF
T: 020 8884 3444

**SIG Insulation & Dry Lining
Eurocentral**

Coddington Crescent, ML1 4YF
T: 01414 406 960

**SIG Insulation & Dry Lining
Leeds**

Intermezzo Drive, LS10 1RU
T: 0113 385 7700

**SIG Insulation & Dry Lining
Leicester**

Unit E, Braunstone Ind Est, LE3 1UQ
T: 0116 232 5000

**SIG Insulation & Dry Lining
Maidstone**

Unit 5 Larkfield Mill, ME20 6SQ
T: 01622 791 100

**SIG Insulation & Dry Lining
Manchester**

Unit 1 Trafford Point 1, M17 1SH
T: 0161 874 5311

**SIG Insulation & Dry Lining
Oldbury**

Apollo Park, B69 2DF
T: 0121 665 3050

**SIG Insulation & Dry Lining
Plymouth**

87 St Modwen Road, PL6 8LH
T: 01752 675 414

**SIG Insulation & Dry Lining
East London**

Unit 2, Segro Park, London, RM13 8HY
T: 020 8477 9500

**SIG Insulation & Dry Lining
Sheffield**

Nunnery Drive, S2 1TA
T: 0114 241 3000

**SIG Insulation & Dry Lining
Southampton**

Unit 41a Nursling Ind Est, SO16 0YU
T: 023 8074 3799

**SIG Insulation & Dry Lining
Southwark**

Bricklayers Arms Dist Centre, SE1 5SR
T: 020 7064 4900

**SIG Insulation & Dry Lining
Twickenham**

Twickenham Trading Estate, TW1 1DQ
T: 020 8891 5971

SIG Insulation & Dry Lining Tyneside

Federation Business Park, NE11 9EZ

T: 0191 482 4211

**SIG Insulation & Dry Lining
West London**

Mathisen Way, SL3 0HF
T: 01753 691 818

You can also email the team at: firescreenenquiries@ocularpartitions.co.uk

OPFSB0625 V1 | © SIG Trading Ltd 2025 All rights reserved. "OCULA" is a registered trademark of SIG Trading Ltd

All rights reserved. No part of this publication may be reproduced or transmitted in any form, or by any means, electronic or mechanical including photocopy, recording or any information storage and retrieval system, without permission in writing from SIG Trading Ltd. No information contained within this publication can be used to compile any other printed or electronic directory or mailing list. Whilst every effort has been made to ensure accuracy, the publisher does not, under any circumstances, accept responsibility for errors or omissions and no representation or warranty is made in relation to the suitability of a product for a specific application. Visuals are for illustration purposes only. E&OE.